### **Ü** Panattoni

# Panattoni Park Most Joseph

PANAT




## Panattoni Business Park Most Joseph

BUILDING A 97,647 sq m

Α

- MOST (10 km, 10 min)
- ÚSTÍ NAD LABEM (55 km, 52 min)
  - PRAHA (87 km, 80 min)

- DRÁŽĎANY (100 km, 90 min)
- CHOMUTOV (22 km, 17 min)
- **KARLOVY VARY** (73 km, 60 min)



#### Supporting structure

- Pad or pilot foundations, insulated plinth panels up to 300 mm above floor
- Prefabricated concrete columns in 12 × 24 m grid or per layout
- Prefabricated concrete or steel roof beams, clear height of 10 m

#### Floor

- Fibre reinforced concrete floor, PE membrane, cut joints, 180 mm thick, surface treated with hardener
- Load capacity of 50 kN/sq m, 60 kN point load
- Flatness according to DIN 1822, table 3, line 3

#### Roof

- Corrugated steel sheets, mineral wool insulation, PVC membrane
- Free load capacity of 15 kg/sq m for clients installations
- Min. 2% of skylights in warehouse area
- Syphonic drainage system, emergency overflows

#### Facade

- Horizontal sandwich panels with mineral wool insulation
- Prefabricated concrete facade around docks to approx. 4.5 m height
- Double glazed windows in offices

#### Docks

- 1× electrically operated 3.0 × 3.0 m dock for each 1,000 sq m of hall
- Each dock equipped with hydraulic leveller, 60 kN capacity, PE shelter, wheel guides
- 1× electrically operated 4.0 × 4.5 m drive-in gate for each 5,000 sq m of hall



#### Hall installations

- Gas Sahara heaters or infrared gas radiators, heating according to norms for warehousing
- ESFR sprinklers under roof, FM Global certified tank and pumps
- 200 lux LED lighting (excluding influence of clients installations)
- 1x 630 kVA dry transformer station per each 25,000 sq m of hall

#### Production upgrade (optional)

- Increased facade and roof insulation
- Heating and ventilation in accordance with code for manufacturing (assembly)
- 300 lux LED lighting (excluding influence of clients installations)
- Increased percentage of skylights area


#### Offices

- 2 level custom designed in-built, incl. offices, socials, locker rooms, day room, excl. furniture and appliance
- Aluminium entrance door with canopy to entrance lobby
- Tiles, carpets or PVC floor surfaces, suspended mineral ceiling panels
- Social rooms with ceramic fixtures, wall tiles, and basic accessories
- PVC cable trays below windows, 2× 220 V socket each 8 sq m
- Server room with 2 split units and antistatic PVC floor
- Top cooling

#### **Outside areas**

- Hard areas from concrete pavers, sloped for drainage
- 2 m high mesh fence, entrance barriers and manual gate
- Green areas with grass, bushes, and trees

## Panattoni Park Most Joseph



TOTAL BUILT-UP AREA

BUILDING

97,929 sq m

97,929 sq m

#### WAREHOUSE

Column grid Clear height Floor loading ESFR sprinkler system LED lighting 12 m × 24 m Up to 12 m 5 t/sq m

#### SUSTAINABILITY TRENDS

BREEAM New Construction level Excellent Option for heat pumps and photovoltaics

### **OUR REFERENCES**



Location: Cheb, Karlovy Vary Region Size: 103,000 sq m Industry: Distribution centre Year of completion: 2021



Location: Jirkov, Ústí Region Size: 37,000 sq m Industry: Production Year of completion: 2023



Location: Kojetín, Olomouc Region Size: 187,000 sq m Industry: E-commerce Year of completion: 2022



Location: Ostrov u Stříbra, Pilsen Region Size: 79,400 sq m

Industry: Production Year of completion: 2015–2019 (3 phases)

# **Ù** Panattoni

PANATTONI CZECH REPUBLIC DEVELOPMENT

ŠPORKOVSKÝ PALÁC | V CELNICI 1034/6 110 00 PRAHA 1 | ČESKÁ REPUBLIKA WWW.PANATTONIEUROPE.COM COMMERCIALCZ@PANATTONI.COM